

# Material Safety Data Sheet according to 91/155/EEC - ISO 11014-1

Page 1 of 4

**TEROSTAT-VII 10MM 10M INTER**

SDS no. : 75656

V001.2

Revision: 02.04.2004

printing date: 11.05.2004

## 1. Identification of the substance/preparation and of the company/undertaking

**Trade name:**

TEROSTAT-VII 10MM 10M INTER

**Intended use:**

Sealing tapes

**Company name:**

Henkel Teroson GmbH

69112 Heidelberg

Phone: +4962217040

Fax-no.: +496221705242

**Emergency information:**

In case of an emergency information will be available 24h under phone +49-(0)6221-7040

**Information office (content SDS):**

Product safety / TECO, Tel: +49-(0)6221-7040 Fax: +49-(0)6221-704698

## 2. Composition / information on ingredients

**General chemical description:**

Composition

**Base substances of preparation:**

Synthetic rubber

**Declaration of ingredients:**

Contains no dangerous substances exceeding the limits of the EU-Directive

## 3. Possible product risks

None if used properly.

## 4. First-aid measures

**After inhalation:**

not relevant.

**After skin contact:**

not relevant.

**After eye contact:**

not relevant.



**Technologies**  
Industrial Adhesives

---

**After ingestion:**

Seek medical advice immediately and show this container or label.

---

**5. Fire-fighting measures**

**Suitable extinguishing media:**

All common extinguishing agents are suitable.

---

**6. Accidental release measures**

**Process for cleaning and take-up:**

Remove mechanically.

---

**7. Handling and storage**

**Handling:**

No particular measures required.

The normal precautions for dealing with chemical products should be taken.

**Storage:**

Protect from direct sunlight.

Store in a cool, dry place.

Storage at 15 to 25°C is recommended.

---

**8. Exposure controls / personal protection**

**Components with specific control parameters for workplace:**

none

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR;  $\geq 1$  mm thickness) or natural rubber (NR;  $\geq 1$  mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR;  $\geq 1$  mm thickness) or natural rubber (NR;  $\geq 1$  mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

**General protection and hygiene measures:**

Wash hands before work breaks and after finishing work.

When using do not eat or drink.

---



---

## 9. Physical and chemical properties

### General characteristics

State:	plastic
Odor:	odorless
Color(s):	black

### Phys./chem. properties:

Density (23 °C)	1,65 g/cm <sup>3</sup>
Indication of (Solid content)	100 %
Solubility (qualitative) (Solvent: water)	insoluble

---

## 10. Stability and reactivity

### Conditions to avoid:

None known if used to the intended purpose.

### Materials to avoid:

None if used for intended purpose.

### Dangerous decomposition products:

No decomposition if used according to specifications.

---

## 11. Toxicological information

### General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

---

## 12. Ecological information

### General ecological information:

If used properly the product does not enter the drains.

---

## 13. Disposal considerations

### Waste code(EWC):

080410

### Product disposal:

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

Waste incineration with the approval of the responsible local authority.

---



## 14. Transport information

**General information:**

Not hazardous according to RID/ADR, GGVS/GGVE, ADNR, IMDG, ICAO-TI/IATA-DGR.

---

## 15. Regulations - classification and identification

**Symbols of danger:**

Not necessary.

**R-phrases**

N/A.

**National regulations/information:**

WGK:	1, slightly water-endangering product. (German VwVwS of May 17, 1999 )
Storage class VCI:	Classification in conformity with the calculation method 11
VOCV 814.018 VOC regulation CH	0,00 %

---

## 16. Other information

**Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

