



Technologies

Page 1 of 4

T401 TERODEM-SP100 500MMx250MM

MSDS-No. : 76575
V001.1
Revision: 18.01.2007
printing date: 09.01.2008

1. Identification of the substance/preparation and of the company/undertaking

Trade name:

T401 TERODEM-SP100 500MMx250MM

Intended use:

Sound absorption sheet

Company name:

Henkel Loctite Adhesives Ltd
Technologies House
Wood Lane End
HP2 4RQ Hemel Hempstead
Phone: +44 (1442) 278000
Fax-no.: +44 (1442) 278071
Great Britain

Emergency information:

In case of an emergency information will be available 24h under phone +49-(0)6221-7040

Information office (content SDS):

Product safety / CSP, Tel: +49-(0)6221-7040 Fax: +49-(0)6221-704698

2. Composition / information on ingredients

General chemical description:

structural foam

Base substances of preparation:

Aluminum foil
Bitumen

Declaration of ingredients according to 91/155/EC:

Contains no dangerous substances exceeding the limits of the EU-Directive

3. Hazards identification

The product is not hazardous within the meaning of the valid (EU) preparation guideline.

4. First-aid measures

General information:

No particular measures required.

5. Fire-fighting measures

Suitable extinguishing media:

All common extinguishing agents are suitable.

Special protection equipment for firefighters:

Wear self-contained breathing apparatus.

Hazardous combustion products:

carbon oxides, Other decomposition products

6. Accidental release measures

Personal precautions:

Not necessary.

Environmental precautions:

Not necessary.

7. Handling and storage

Handling:

The normal precautions for dealing with chemical products should be taken.

Storage:

No particular measures required.
Storage at 5 to 25°C is recommended.

8. Exposure controls / personal protection

Advices to personal protection equipment:

The normal precautions for dealing with chemical products should be taken.

General protection and hygiene measures:

Do not eat, drink or smoke while working.
Wash hands before work breaks and after finishing work.

9. Physical and chemical properties

Appearance	Sheets foamed black
Odor:	odorless
Density (20 °C (68 °F))	1,95 g/cm ³
Solubility (qualitative) (Solvent: water)	insoluble
Solid content	100 %
VOC content (VOCV 814.018 VOC regulation CH)	0,00 %

10. Stability and reactivity

Conditions to avoid:

None known if used to the intended purpose.

Materials to avoid:

None if used for intended purpose.

Hazardous decomposition products:

No decomposition if used according to specifications.

11. Toxicological information

General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

12. Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

13. Disposal considerations

Product

Disposal methods:

Can be added to household waste in small quantities.
Waste incineration with the approval of the responsible local authority.

Waste code(EWC):

200399

14. Transport information

General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

15. Regulations - classification and identification

Indication of danger:

Not necessary.

Risk phrases:

N/A.

Additional information:

Not subject of the identification regulations.

VOC Paints and Varnishes (EU):

Product (sub)category:

This product is not a subject of the Directive 2004/42/EC

16. Other information

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.