

# U-POL

## PRODUCTS

### PRODUCT SAFETY DATA SHEET

---

---

**COMMERCIAL PRODUCT NAME:** UPOL POLISH RANGE (OPTIC 1, 2, & 3)

**PREPARATION:** RUBBING COMPOUND CONTAINING MIXTURE OF SOLVENTS

**ADDRESS:** Denington Industrial Estate,  
Denington Road,  
Wellingborough,  
Northants NN8 2QP  
United Kingdom

**EMERGENCY TELEPHONE NO:-** **44-(0)1933-230310 \***

**FAX NO:-** 44-(0)1933-230351 \*

#### **COMPOSITION/INFORMATION ON INGREDIENTS**

<b><u>COMPONENT</u></b>	<b><u>CAS NO.</u></b>	<b><u>LEVEL</u></b>	<b><u>SYMBOL</u></b>	<b><u>RISK</u></b>
STODDARD SOLVENT	64741-41-9	0 - 30%	Xn - Harmful.	R22
MINERAL SPIRITS	64742-48-9	0 - 25%	Xn - Harmful	R22
KEROSENE	8008-20-6	0 - 10%	Xn - Harmful	R22

#### **HAZARDS IDENTIFICATION**

**INHALATION:** May cause drowsiness and irritation of respiratory tract.

**SKIN:** May cause irritation on prolonged contact, redness.

**EYES:** Irritation and soreness.

**INGESTION:** Sore throat, stomachache, nausea.

#### **FIRST AID MEASURES**

**INHALATION:** Move affected person to the fresh air without delay. If drowsiness persists seek medical attention.

**SKIN CONTACT:** Wash affected area with warm soapy water. Do not use solvents.

**EYE CONTACT:** Irrigate with copious quantities of water and seek medical attention immediately.

**INGESTION:** Do not induce vomiting, drink plenty of water and seek medical attention.

## **FIRE FIGHTING MEASURES**

Fight fires with CO<sub>2</sub>, dry powder, or chemical foam. Do not use water jets. Burning material emits toxic fumes and smoke, so avoid inhalation of burning products.

## **ACCIDENTAL RELEASE MEASURES**

The product will readily flow. Contain any spillage and wipe away. Keep product away from drains. Avoid sources of ignition. Dispose of in accordance with the requirements of the Environmental Protection Act.

## **HANDLING AND STORAGE**

**HANDLING:** Keep away from sources of ignition. Avoid contact with skin and eyes. Use only in well ventilated areas.

**STORAGE:** Store below 25°C in a dry well ventilated space in original closed containers. Protect from freezing

## **EXPOSURE CONTROLS/PERSONAL PROTECTION**

A good standard of personal and industrial hygiene should be maintained at all times. Persons who suffer from skin complaints or other allergic effects should not work with the product.

**EYE PROTECTION:** Recommended.

**PROTECTIVE CLOTHING:** Recommended.

**RESPIRATORY PROTECTION:** Not necessary, where adequate ventilation available.

**SKIN PROTECTION:** Barrier cream recommended.

## **PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Viscous liquid.

**DENSITY:** 0.95 - 1.15.

**FLASH POINT:** 50°C.

**pH :** 7 - 9.5.

**VOLATILE CONTENT:** 25 - 60%.

**SOLUBILITY:** Miscible with water.

**VISCOSITY:** Approx. 15,000 centipoise.

## **STABILITY AND REACTIVITY**

Hazardous decomposition is unlikely to occur under normal conditions. If burnt, carbon dioxide and carbon monoxide will be emitted.

### **TOXICOLOGICAL INFORMATION**

For Mineral Spirits, the following value has been reported:-

An oral LD50 in rats of 5g/Kg.

### **ECOLOGICAL INFORMATION**

**Marine pollutant and partially biodegradeable.**

### **DISPOSAL CONSIDERATIONS**

The material and any contaminated container should be disposed of in accordance with the Environmental Protection Act.

### **TRANSPORT INFORMATION**

**SHIPPING NAME:** PAINT RELATED MATERIAL

**UNITED NATION NO:** UN 1263

**CLASS NO:** 3.3.

**HARMONISED SYSTEMS NO:** 3405 30 00

**PACKING GROUP:** III.

Complies with The Carriage of Dangerous Goods by Road and Rail (Classification, Packaging and Labelling) Regulations.

For current International Maritime Dangerous Goods Declaration, please contact our Export Department  
Telephone No: 44-(0)20 8492 5950.

### **REGULATORY INFORMATION**

**CONTAINS:** Mixture of solvents.

**SYMBOL:** None.

**RISK PHRASES:** R10 Flammable.

**SAFETY PHRASES:**  
S2 Keep out of reach of children.  
S23 Do not breathe vapour.  
S24 Avoid contact with the skin.  
S62 If swallowed do not induce vomiting: seek medical advice immediately and show this container or label.

### **FURTHER INFORMATION**

Reference should be made to the following official publications:-

EH40, C.O.S.H.H. Regulations, Environmental Protection Act.

**ISSUE NUMBER: 0002**  
**(\*Denotes changes from previous issue)**

**ISSUE DATE: 2.11.98**