

U-POL

PRODUCTS

PRODUCT SAFETY DATA SHEET

COMMERCIAL PRODUCT NAME: * U-POL SYSTEM 20 WATER BASED PANEL WIPE (S2000)

PREPARATION: WATER BASED CLEANER

ADDRESS: Denington Industrial Estate,
Denington Road,
Wellingborough,
Northants NN8 2QP
United Kingdom

EMERGENCY TELEPHONE NO:- 44-(0)1933-230310

FAX NO:- 44-(0)1933-230351

COMPOSITION/INFORMATION ON INGREDIENTS *

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>LEVEL</u>	<u>SYMBOL</u>	<u>RISK</u>
BUTYL GLYCOL	111-76-2	0 - 5%	Xn - Harmful	R20/21/22 R36/38
PROPAN-2-OL	67-63-0	0 - 5%	Xi - Irritant F - Highly Flammable	R11 R36 R67

HAZARDS IDENTIFICATION

INHALATION: Unlikely, but may cause discomfort.

SKIN: May cause irritation on prolonged contact, redness.

EYES: Irritation and soreness.

INGESTION: Sore throat, stomachache, nausea.

FIRST AID MEASURES

INHALATION: Move affected person to the fresh air without delay.

SKIN CONTACT: Wash affected area with warm soapy water. Do not use solvents.

EYE CONTACT: Irrigate with copious quantities of water and seek medical attention immediately.

INGESTION: Do not induce vomiting, drink plenty of water and seek medical attention

FIRE FIGHTING MEASURES

Essentially non flammable. May burn under extreme conditions. Do not breathe smoke/fumes.

ACCIDENTAL RELEASE MEASURES

The product will readily flow. Contain any spillage and wipe away. Keep product away from drains. Dispose of in accordance with the requirements of the Environmental Protection Act.

HANDLING AND STORAGE

HANDLING: Avoid contact with skin and eyes. Use only in well ventilated areas.

STORAGE: Store below 25°C in a dry well ventilated space in original closed containers. Protect from freezing

EXPOSURE CONTROLS/PERSONAL PROTECTION

A good standard of personal and industrial hygiene should be maintained at all times. Persons who suffer from skin complaints or other allergic effects should not work with the product.

EYE PROTECTION: Recommended.

PROTECTIVE CLOTHING: Recommended.

RESPIRATORY PROTECTION: Not necessary, where adequate ventilation available.

SKIN PROTECTION: Barrier cream recommended.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale blue liquid.

DENSITY: Approx. 1.0.

FLASH POINT: Above 150°C.

pH : 7.0 - 9.0.

VOLATILE CONTENT: 1%. maximum.

SOLUBILITY: Miscible with water.

VISCOSITY: Water-like.

STABILITY AND REACTIVITY

Stable under all normal conditions.

TOXICOLOGICAL INFORMATION

For Butyl Glycol, the following value has been reported:-

An oral LD50 in rats of 2.68mg/Kg.
ECOLOGICAL INFORMATION *

Not a marine pollutant.

DISPOSAL CONSIDERATIONS

The material and any contaminated container should be disposed of in accordance with the Environmental Protection Act.

TRANSPORT INFORMATION

SHIPPING NAME: NON HAZARDOUS.

UNITED NATION NO: N/A.

CLASS NO: N/A.

HARMONISED SYSTEMS NO: 3405 30 00.

PACKING GROUP: N/A.

Complies with The Carriage of Dangerous Goods by Road and Rail (Classification, Packaging and Labelling) Regulations.

For current International Maritime Dangerous Goods Declaration, please contact our Export Department
Telephone No: 44-(0)20 8492 5950.

REGULATORY INFORMATION

CONTAINS: Non hazardous.

SYMBOL: N/A.

RISK PHRASES: N/A.

SAFETY PHRASES:

S2	Keep out of reach of children.
S7	Keep container tightly closed.
S15	Keep away from heat.
S46	If swallowed, seek medical advice immediately and show this container or label.

FURTHER INFORMATION

Reference should be made to the following official publications:-

EH40, C.O.S.H.H. Regulations, Environmental Protection Act.

ISSUE NUMBER: 0002
20.08.03

(*Denotes changes from previous issue)

ISSUE DATE:

