

U-POL

PRODUCTS

PRODUCT SAFETY DATA SHEET

=====

COMMERCIAL PRODUCT NAME: UPOL SPLITFIX ADHESIVES

PREPARATION: CYANOACRYLATE ADHESIVE

ADDRESS: DENINGTON ROAD
WELLINGBOROUGH
NORTHANTS NN8 2QP
UNITED KINGDOM

EMERGENCY TELEPHONE NO:- 44 - (0)1933-230310

FAX NO:- 44-(0)1933-230351

COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>LEVEL</u>	<u>SYMBOL</u>	<u>RISK</u>
CYANOACRYLATE	7085-85-0	50 - 100%	N/A	N/A

HAZARDS IDENTIFICATION

INHALATION: Unlikely, but may cause drowsiness and irritation of respiratory tract.

SKIN: Will bond skin in seconds and may cause irritation on prolonged contact.

EYES: Will bond eyes in seconds, leading to irritation/soreness.

INGESTION: Unlikely, but will harden in mouth.

FIRST AID MEASURES

INHALATION: Move affected person to the fresh air without delay. If drowsiness persists seek medical attention.

SKIN CONTACT: Wash affected area regularly with warm soapy water. Do not use solvents. If bonded, separation should occur within 1-4 days.

EYE CONTACT: Irrigate with copious quantities of water and seek medical attention immediately.

INGESTION: Do not induce vomiting, drink plenty of water and seek medical attention.

FIRE FIGHTING MEASURES

Fight fires with CO₂ , dry powder, or chemical foam. Do not use water jets. Burning material emits toxic fumes and smoke, so avoid inhalation of burning products.

ACCIDENTAL RELEASE MEASURES

The product will flow. Contain and collect any spillage with sand or earth. Keep product away from drains. Dispose of in accordance with the requirements of the Environmental Protection Act.

HANDLING AND STORAGE

HANDLING: Keep away from heat. Avoid contact with skin and eyes. Use only in well ventilated areas.

STORAGE: Store below 25°C in a dry well ventilated space in original closed containers.

EXPOSURE CONTROLS/PERSONAL PROTECTION

A good standard of personal and industrial hygiene should be maintained at all times. Persons who suffer from skin complaints or other allergic effects should not work with the product.

EYE PROTECTION: Recommended.

PROTECTIVE CLOTHING: Recommended.

RESPIRATORY PROTECTION: Recommended, if handling large quantities in areas of poor ventilation.

SKIN PROTECTION: Barrier cream recommended.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear liquid.

ODOUR: Distinctive, pungent.

DENSITY: Approx. 1.1.

FLASH POINT: Above 80°C.

AUTOFLAMMABILITY TEMPERATURE : N/A.

EXPLOSIVE LIMITS: N/A.

VOLATILE CONTENT: 0%.

SOLUBILITY: Immiscible with water.

STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions. In a fire hazardous decomposition products may be produced. Keep away from oxidising agents, water, amines, alcohols and peroxides.

TOXICOLOGICAL INFORMATION

None quoted.

ECOLOGICAL INFORMATION

None quoted.

DISPOSAL CONSIDERATIONS

The material and any contaminated container should be disposed of in accordance with the Environmental Protection Act.

TRANSPORT INFORMATION

	<u>ADHESIVE</u>	<u>KIT</u>
SHIPPING NAME:	NOT CLASSIFIED.	NOT CLASSIFIED.
UNITED NATION NO:	N/A.	N/A.
CLASS NO:	N/A.	N/A.
HARMONISED SYSTEMS NO:	3506 99 00.	3506 99 00.
PACKING GROUP:	N/A	N/A

Complies with The Carriage of Dangerous Goods by Road and Rail (Classification, Packaging and Labelling) Regulations.

For current International Maritime Dangerous Goods Declaration, please contact our Export Department
Telephone No: 44-(0)20 8492-5950

REGULATORY INFORMATION

CONTAINS:	Cyanoacrylate adhesive.
SYMBOL:	None.
RISK PHRASES:	None.
SAFETY PHRASES:	None.

DANGER. Bonds skin and eyes in seconds. Keep out of reach of children.

FURTHER INFORMATION

Reference should be made to the following official publications:-

EH40, C.O.S.H.H. Regulations, Environmental Protection Act.

ISSUE NUMBER: 0001

ISSUE DATE: 17/01/00